



**SILKY COLD PROCESS LOTION
ETB4130**

INGREDIENTS	INCI NAME	
Water	Water	78.7%
Ultrez 21	Acrylates/C10-30Alkyl Acrylate Crosspolymer	0.5%
Hest IS-3-O	Isosteareth-3 Ethylhexanoate	6.0%
AMP-95	Aminomethyl Propanol	0.5%
DRY-FLO PC	Aluminum Starch Octenylsuccinate	5.0%
Hest G-18-O	Glycereth-18 Ethylhexanoate (and) Glycereth-18	5.0%
Silicone HL-88	Dimethicone	1.7%
Propylene Glycol	Propylene Glycol	2.0%
Paragon III	Phenoxyethanol (and) DMDM Hydantoin (and) Methyl Paraben (and) Propyl Paraben	0.6%
		100.0%

PROCEDURE

- 1) Add the Ultrez 21 to Water and after the polymer is hydrated begin mixing.
- 2) With adequate mixing add the Hest IS-3-O.
- 3) Add the AMP-95.
- 4) In a separate vessel slurry the DRY-FLO PC into the Hest G-18-O.
- 5) To the slurry add Silicone HL-88 and then the Propylene Glycol.
- 6) With adequate mixing add the slurry to the main batch. Once uniform add the Paragon III.

Global Seven, Inc. believes the information contained in this literature to be reliable, but it is only representative information. No warranty is given or implied as to accuracy, suitability for particular applications or the results to be obtained. This is not a commercialized product and has not been the subject of extensive testing for efficacy, stability, performance or safety. No recommendation should be construed as inducement to infringe patents.