



**SUNSCREEN WITH PARSOL 1789
PRESERVATIVE FREE
ETB6105**

INGREDIENTS	INCI NAME	
Water	Water	57.5%
Hest G-18-O	Glycereth-18 Ethylhexanoate (and) Glycereth-18	4.0%
Ganez V-220	VP/Eicosene Copolymer	2.0%
Amphisol	Dea-Cetyl Phosphate	3.0%
Glyceryl Stearate	Glyceryl Stearate	4.0%
Cetyl Alcohol	Cetyl Alcohol	2.0%
Marrix 222	Dibehenyl Fumarate	2.0%
Parsol 1789	Avobenzone	3.0%
Ethylhexyl Salycilate	Octisalate	5.0%
Ethylhexyl Methoxycinnamate	Octinoxate	7.5%
Elefac I-205	Octyldodecyl Neopentanoate	<u>10.0%</u>
		100.0%

PROCEDURE

- 1) Combine the Hest G-18-O and Water and begin heating to 90°C.
- 2) Combine the Ganez V-220, Amphisol, Glyceryl Stearate, Cetyl Alcohol, Marrix 222, Parsol 1789, Ethylhexyl Salycilate, Ethylhexyl Methoxycinnamate, Elefac I-205 and begin heating to 90°C.
- 3) With adequate mixing add Step 2 to Step 1 once both reach 90°C and mix until uniform.
- 4) Once uniform begin cooling to room temperature.
- 5) Continue to cool with mixing to 45°C.