



**VOLUMIZING REMOLDING PASTE
ETB3722**

INGREDIENTS	INCI NAME	
Water	Water	72.02%
Ultrez 21	Acrylates/C10-30Alkyl Acrylate Crosspolymer	0.20%
Hetoxol I-20-20	Octyldodeceth-20	1.00%
Hest T3S	Trimethylolpropane Tristearate	8.00%
Hest BB	Behenyl Behenate	6.00%
Hest T3IS	Trimethylolpropane Triisostearate	2.00%
Hetoxol STA-2	Steareth-2	3.00%
Hetoxol G	Stearyl Alcohol (and) Cetareth-20	3.00%
Bernel DCM	Dicapryl Maleate	4.00%
Aminomethyl Propanol	Aminomethyl Propanol	0.18%
Paragon III	Phenoxyethanol (and) DMDM Hydantoin (and) Methyl Paraben (and) Propyl Paraben	0.60%
		100.00%

PROCEDURE

- 1) Add the Ultrez 21 to Water and after the polymer is hydrated begin mixing and heating to 80-85C.
- 2) In a separate vessel add the Hetoxol I-20-20, Hest T3S, Hest BB, Hest T3IS, Hetoxol STA-2, Hetoxol G, Bernel DCM and heat to 80-85C.
- 3) With adequate mixing add step 2 to 1 when both have reached 80-85C and mix for 10 minutes then begin cooling to room temperature.
- 4) Add the AMP-95 at 65C and reduce mixing speed.
- 5) Add the Paragon III at 40C.

Global Seven, Inc. believes the information contained in this literature to be reliable, but it is only representative information. No warranty is given or implied as to accuracy, suitability for particular applications or the results to be obtained. This is not a commercialized product and has not been the subject of extensive testing for efficacy, stability, performance or safety. No recommendation should be construed as inducement to infringe patents.